

## EMERGENCY CONTACTS

Emergency Contact Number: 0417 658 121 (Normal Business Hours & After Hours)  
Sydney Poisons Information Centre: 131 126

## IDENTIFICATION

### CLASSED AS HAZARDOUS ACCORDING TO CRITERIA OF WORKSAFE AUSTRALIA

<b>Product Name:</b>	<b>COLD GALV GALVANISING SPRAY</b>	<b>UN Number:</b>	1950
<b>Other Name:</b>	Gal Spray, Galvit, Cold Galv	<b>Dangerous Goods Class:</b>	2.1
<b>Use:</b>	An interior/exterior surface coating designed to protect iron, steel and other metals against rust and corrosion	<b>Subsidiary Risk:</b>	None allocated
<b>Poisons Schedule:</b>	None allocated	<b>Hazchem Code:</b>	2Y

## PHYSICAL DESCRIPTION / PROPERTIES

<b>Appearance &amp; Odour:</b>	Grey colour with solvent odour	<b>Boiling Point:</b>	N/A
<b>Specific Gravity:</b>	N/A	<b>Solubility in Water:</b>	Not soluble in water
<b>Vapour Pressure:</b>	N/A	<b>Melting Point:</b>	N/A
<b>Flammability Limits:</b>	N/A		

## OTHER PROPERTIES

pH – Not available

## CHEMICAL INGREDIENTS

Chemical Entity	Cas Number	Proportion
Dimethylether	115-10-6	30-60%
Metallic Zinc		10-30%
Toluene	108-88-3	10-30%
Aromatichydrocarbon	64742-95-6	10-30%
Methylethylketone	78-93-3	Less than 10%
Chlorinated Paraffin	63449-34-8	Less than 10%

## HEALTH HAZARD INFORMATION

### *HEALTH EFFECTS*

<b>Swallowed:</b>	May produce mouth, throat and stomach irritation, vomiting and nausea
<b>Eye:</b>	Irritant to eye may lead to eye tissue damage
<b>Skin:</b>	May cause a burning sensation or reddening of skin
<b>Inhaled:</b>	May cause eye, nose and throat irritation
<b>Chronic:</b>	Should an unfavourable skin reaction occur, discontinue use until condition subsides. Applying a protective layer by regular use of a crème such as Derma Kote minimises such irritation.

### *FIRST AID*

<b>Swallowed:</b>	DO NOT induce vomiting. Seek medical attention
<b>Eye:</b>	Remove contact lenses if worn. Flush immediately with plenty of water for 15 minutes. <b>SEEK MEDICAL ATTENTION</b>
<b>Skin:</b>	Remove contaminated clothing and wash from skin with soap and water. Apply a skin cream. Get medical attention
<b>Inhaled:</b>	Move to fresh air.
<b>Advice to Doctor:</b>	Treat symptomatically

### *PRECAUTIONS FOR USE*

<b>Exposure Standards:</b>	Exposure standard (NHO & SC) for toluene 100ppm (375mg/m <sup>3</sup> ) methylethylketone 150ppm (445mg/m <sup>3</sup> )
<b>Engineering Controls:</b>	Use in well ventilated area, local exhaust ventilation may be required where high concentration of product is likely to occur
<b>Personal Protection:</b>	Rubber gloves and safety glasses should be worn
<b>Flammability:</b>	The can contents are highly flammable and pressurised. Do not puncture, incinerate or expose to heat even when empty. Do not spray onto hot surfaces or near heat.

## **SAFE HANDLING INFORMATION**

- Storage and Transport:** Store in a cool dry area at temperatures between 5C degrees and 50 degrees C away from sun, heat, open flame, sparks, any source of ignition. Strong oxidisers and corrosive substances class 2.1, UN 1950 transport in accordance with state or territory regulation.
- Spills and Disposal:** Due to packaging large spills are likely. Use sand sawdust or earth. Advise authorities. Refer to state land waste management authority
- Fire and Explosions:** Use foam, dry chemical or carbon dioxide. Wear full body protective clothing with breathing apparatus and protective gloves.

## ***OTHER INFORMATION***

The concentrated vapour may ignite if exposed to sparks or flame

While the information contained herein is correct to the best of our knowledge. OSHER BLUE herein disclaims any warranties as to the accuracy of the same. Recommendations or suggestions are made without guarantee or representation as to the result, since conditions of use are beyond our control. All materials are sold subject to and on conditions that the buyer shall make his own test to determine the suitability of such product for buyer's purposes. No statement contained herein shall be constructed as a recommendation to infringe any patent.

***Dated – April 2006***