



MATERIAL SAFETY DATA SHEET

Product Name: Strip Klean

Page: 1 of 3

This revision issued: May, 2008

Section 1 - Identification of Chemical Product and Company

Osher Blue
11/10 Prosperity Pde.,
Warriewood, NSW 2102

Phone: 02 9997 6900
Fax: 02 9997 6999
Email: admin@osher.com.au

Substance: Hydrocarbon mixture.
Trade Name: **Strip Klean / Floor Stripper**
Product Use: Industrial solvent.
Creation Date: **April 2007**
Revision Date: **April 2007**

Section 2 - Hazards Identification

Statement of Hazardous Nature

This product is classified as: Hazardous according to the criteria of NOHSC Australia.

Australian Dangerous Goods (ADG) Class and Subsidiary risk: N/A.

Risk Phrases: R36, R38. Irritating to eyes and skin.

Safety Phrases:

S1/2 Keep locked up and out of the reach of children

S13 Keep away from food, drink and animal foodstuffs

S24/25 Avoid contact with skin and eyes

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label whenever possible)

SUSDP Classification: N/A

ADG Classification: N/A

UN Number: N/A

Emergency Overview

Physical Description & Colour: Clear brown thin liquid, with a mild solvent odour.

Odour: A mild solvent odour.

Potential Health Effects

Inhalation: Mild respiratory irritation. May cause dizziness and nausea.

Skin Contact: Irritant. Prolonged contact may lead to dermatitis in some cases.

Eye Contact: Will strongly irritate eyes. Prolonged contact with eye may lead to damage to eyes.

Ingestion: Toxic. Will cause abdominal pain and nausea.

NOHSC: No significant ingredient is classified as carcinogenic by NOHSC.

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: No significant ingredient is classified as carcinogenic by IARC.

Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Concentration %
Sodium Metasilicate	6834-92-0 1	10 %
Tetrapotassium pyrophosphate	7320-34-5 1	10 %
Ethylene glycol monobutyl ether	111-76-2 1	10%
Other ingredients determined not to be hazardous make up the balance to 100%		

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures

General Information:

Swallowed: DO NOT induce vomiting. Give a glass of water and seek medical advice.

Eye: Hold eyelids open and flush with water for at least 15 minutes. Seek medical advice.

Skin: Remove any contaminated clothing and wash skin thoroughly with soap and water. If swelling, redness or irritation occurs seek medical advice.

Inhaled: Remove to fresh air. Seek medical attention.

• Advice to Doctor

Treat symptomatically. Show this M.S.D.S. to the medical practitioner.

Section 5 - Fire Fighting Measures

Not flammable. Extinguish with water, CO₂, foam or dry chemical.

Section 6 - Accidental Release Measures

Accidental release: Slippery when spilt. Remove and dispose according to government regulations. For small spills wash with plenty of water. Wash away residue with large amounts of water.

Section 7 - Handling and Storage

Not defined as a dangerous good by the Australian code for the transport of Dangerous Goods by Road and Rail. Keep containers closed at all times. Store away from food, acids, combustible materials and dangerous goods.

Section 8 - Exposure Controls and Personal Protection

Exposure Standards: TLV-TW 25ppm (100% EGME) [NOHSC: 1003(1995)]

Engineering Controls: Adequate ventilation is necessary.

Personal Protection: Avoid contact with skin and eyes. Wear gloves and mask to minimise risks.

Flammability: Non combustible material.

Section 9 - Physical and Chemical Properties:

Appearance: Clear brown thin liquid, with a mild solvent odour.

Boiling Point: 1000C

Vapour Pressure: N/A

Specific Gravity: 1.04 - 1.08@ 200C

Flashpoint: Not Applicable

Flammability Limits LEL: Not Available

Solubility in Water: Freely soluble

PH Value (neat): 12.0 – 13.5

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: This product should be kept in a cool place, preferably below 30°C. Keep away from sources of sparks or ignition. Any electrical equipment in the area of this product should be flame proofed.

Incompatibilities: strong oxidising agents.

Fire Decomposition: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: This product will not undergo polymerisation reactions.

Section 11 - Toxicological Information

Toxicity: N/A

Section 12 - Ecological Information

May be mildly toxic to aquatic organisms in high concentrations, may cause long-term adverse effects to the aquatic environment. Do not dispose of directly into waterways.

MATERIAL SAFETY DATA SHEET

Section 13 - Disposal Considerations

Disposal: Slippery when spilt. Remove and dispose according to government regulations. For small spills wash with plenty of water. Wash away residue with large amounts of water.

Section 14 - Transport Information

UN Number: N/A

Dangerous Goods Class and Subsidiary Risk: N/A

Hazchem Code: N/A

Poisons Schedule Number: N/A

Packing Group: N/A

Section 15 - Regulatory Information

AICS: This product is compliant with NICNAS regulations.

Section 16 - Other Information

This MSDS is valid for five (5) years from the date of issue, but may be revised at any time prior to that date. Users of the document should contact Osher Blue to ensure they are using the latest issue. Since Osher Blue cannot anticipate or control the conditions under which this information may be used, each user should review the information in the specific context of the intended application. Osher Blue will not be responsible for damages of any nature resulting from use or reliance upon the information. No expressed or implied warranties are given other than those implied mandatory by Australian Legislation.

THIS MSDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS MSDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS. OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

End of Material Safety Data Sheet.